


**AMENDMENTS TO THE CLAIMS**

**Listing of Claims:**

1. (Currently amended) A process for the production of compounds of the following general formula I




in a transgenic oil producing plant with a content of at least 1 % by weight of said compounds in reference to the total lipid content of said plant, wherein the process comprises the following steps:

- a) introducing at least one nucleic acid sequence encoding a  $\Delta$ -9-elongase into an oil producing plant,
- b) introducing at least one second nucleic acid sequence encoding a  $\Delta$ -8-desaturase,
- c) introducing at least one third nucleic acid sequence encoding a  $\Delta$ -5-desaturase, and
- d) cultivating and harvesting said oil producing plant;

wherein the substituent[[s]]  $R^1$ ,  $R^2$ , and  $R^3$  in formula I have has the following meanings:


$R^1$  = hydroxyl-, Coenzyme A-(Thioester), phosphatidylcholine-, phosphatidyl-ethanolamine-, phosphatidylglycerol-, diphosphatidylglycerol-, phosphatidylserine-, phosphatidylinositol-, sphingolipid-, glycosphingolipid- or a residue of the general formula II:



wherein the substituents  $R^2$  and  $R^3$  in formula II have the following meanings:

$R^2$  = hydrogen-, phosphatidylcholine-, phosphatidylethanolamine-, phosphatidylglycerol-, diphosphatidylglycerol-, phosphatidylserine-, phosphatidylinositol-, shingolipid-, glycosphingolipid-, glycosphingolipid- or saturated or unsaturated  $C_2$ – $C_{24}$ –alkylcarbonyl-,

$R^3$  = hydrogen-, saturated or unsaturated  $C_2$ – $C_{24}$ –alkylcarbonyl-, or  $R^2$  and  $R^3$  independent of each other a residue of the formula Ia:



wherein n, m, and p in formula I and Ia have the following meanings:

$n = 3, 4$  or  $6, m = 3, 4$  or  $5$  and  $p = 0$  or  $3$ .

2. (Previously presented) The process of claim 1, wherein the nucleic acid sequence encoding  $\Delta$ -8-desaturase,  $\Delta$ -9-elongase or  $\Delta$ -5-desaturase is selected from the group consisting of

- a) the nucleic acid sequence depicted in SEQ ID NO: 1, SEQ ID NO: 3, or SEQ ID NO: 5, and
- b) a nucleic acid sequence encoding the amino acid sequence depicted in SEQ ID NO: 2, SEQ ID NO: 4, or SEQ ID NO: 6.

3. (Previously presented) The process of claim 1, wherein the substituents  $R^2$  and  $R^3$  are independent of each other saturated or unsaturated  $C_{10}$ – $C_{22}$ –alkylcarbonyl-.

4. (Previously presented) The process of claim 1, wherein the substituents  $R^2$  and  $R^3$  are independent of each other saturated or unsaturated  $C_{16}$ –,  $C_{18}$ –,  $C_{20}$ – or  $C_{22}$ –alkylcarbonyl-.

5. (Previously presented) The process of claim 1, wherein the substituents  $R^2$  and  $R^3$  are independent of each other unsaturated  $C_{16}$ –,  $C_{18}$ –,  $C_{20}$ – or  $C_{22}$ –alkylcarbonyl- with at least three double bonds.

6. (Cancelled)

7. (Previously presented) The process of claim 1, wherein the transgenic oil producing plant is selected from the group consisting of rapeseed, poppy, mustard, hemp, castor bean, sesame, olive, calendula, punica, hazel nut, almond, macadamia, avocado, pumpkin, walnut, laurel, pistachio, primrose, canola, peanut, linseed, soybean, safflower, sunflower and borage.

8. (Previously presented) The process of claim 1, wherein the compounds of the general formula I are isolated in the form of oils, lipids of free fatty acids.

9. (Previously presented) The process of claim 1, wherein the compounds of the general formula I are isolated in a concentration of at least 5 % by weight in reference to the total lipid content.

10-25. (Cancelled)

26. (New) The process of claim 1, wherein the substituents R<sup>2</sup> and R<sup>3</sup> are independent of each other saturated or unsaturated C<sub>20</sub>-alkylcarbonyl-.